

GENERAL NOTES

1. This drawing is © copyright Test Valley Borough 2020. No unauthorised reproduction of any kind is permitted.
2. No dimensions to be scaled from this drawing. Verify all dimensions prior to construction. Immediately report any discrepancies on the document to the Architect / Contract Administrator.
3. Drawing to be read with all associated consultants drawings and specifications.
4. This map is reproduced from Ordnance Survey material with the permission of Ordnance Survey on behalf of the controller of Her Majesty's Stationery Office © Crown copyright. Unauthorised reproduction infringes Crown copyright & may lead to prosecution or civil proceedings (100024295).



Key:



Red boundary infilled with grey hatch denotes the extents of the new car park.



Red boundary infilled with blue hatch denotes the extents of the new truck park.

Notes:

Areas to be cleared for these parking areas are 353m² and 309m². These areas currently consist of rough scrub with some small trees. Once cleared the soil would be removed to a depth of 450mm and the area is to be kerbed to prevent any encroachment beyond the parking areas. Finished surface to align with existing yard surface. Kerbs are to be PCC type PC1 laid in accordance with standard detail HCC11/C/010B. Drainage to be 3 chutes along the back edge to allow the cambered surface to discharge rainwater in to the grassy area positions to be informed by Topographical survey.



Property and Asset Management
Beech Hurst, Weyhill Road,
Andover SP10 3AJ
Tel: 01264 368000

PROJECT

Bourne House Depot

Site construction Plan

08 June 2023

DRAWN CHKD

DRP

CAD

DRAWING NUMBER


TVBC 300/002

REV

X

SUITABILITY

Planning



- Type 1 stone 250mm deep
- 40mm aggregate dense asphalt sub base 120mm deep
- 20mm aggregate dense asphalt binder course 60mm deep
- 10mm aggregate close graded asphalt surface course 30mm deep

